ELSEVIER

Journal of Organometallic Chemistry 633 (2001) 189

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 633

Adams, H., 125
Al-Ktaifani, M.M., 143
Arıcı, C., 27
Asselberghs, I., 114
Atkinson, M.T., 125

Back, S., 71
Basu Baul, T.S., 7
Beckmann, J., 149
Bedford, R.B., 173
Bierdeman, D.J., 51
Brüning, K., 157
Brunner, H., 1
Butcher, R., 7

Campo, J.A., 91
Cano, M., 91
Carmona, D., 182
Cazin, C.S.J., 173
Çetinkaya, B., 27
Chakravarty, A.R., 79
Cifuentes, M.P., 114
Contreras, R., 182

Dakternieks, D., 149
Dhar, S., 7
Duthie, A., 149

Elipe, S., 182

Francis, M.D., 143
Friedrich, H.B., 39

Hashemi, M., 105
Haukka, M., 66, 69
Heras, J.V., 91
Hirsivaara, L., 66
Hitchcock, P.B., 143
Hollman, A., 1
Horne, J.M., 33
Hovestreydt, E., 71
Humphrey, M.G., 114
Huo, S., 18
Hursthouse, M.B., 173
Hurst, S.K., 114

Ishikawa, M., 131

Jääskeläinen, S., 69
Jamali, S., 105
Jelski, D.A., 51

Keister, J.B., 51
Klimova, E.I., 137
Klimova, T., 137
Kunai, A., 131

Lahoz, F.J., 182
Lang, H., 71, 157
Light, M.E., 173
Lim, A.E.K., 149
Lucas, N.T., 114
Luther-Davies, B., 114

Main, L., 162
Margolis, L.A., 33
Martínez García, M., 137
Masaoka, S., 131
Meichel, E., 71
Méndez Stivalet, J.M., 137
Morris, M.J., 125
Muñoz, P., 182
Munro, O.Q., 39

Neels, A., 85
Nethaji, M., 79
Nicholson, B.K., 162
Nishihara, Y., 18
Nixon, J.F., 143
Nuber, B., 1

Ohshita, J., 131
Onani, M.O., 39
Oro, L.A., 182
Özdemir, İ., 27

Pakkanen, T.A., 69
Persoons, A., 114
Pike, K.J., 173
Pilar Lamata, M., 182
Pinilla, E., 91
Pursiainen, J., 66
Pursiainen, J.T., 69
Pyke, S.M., 7

Rashidi, M., 105
Rath, R.K., 79
Rheinwald, G., 157
Riihimäki, H., 69
Rivarola, E., 7
Ruíz Ramírez, L., 137

Sakurai, H., 131
Samoc, M., 114
Sato, K., 18
Smith, F.E., 7
Stœckli-Evans, H., 85
Stein, T., 71
Suomalainen, P., 69
Süss-Fink, G., 85

Tahir, M.N., 27
Takahashi, T., 18
Tamai, M., 131
Thomas, C.M., 85
Tiekink, E.R.T., 7, 149
Torralba, M.C., 91
Torres, M.R., 91
Tully, W., 162

Ülkü, D., 27

Valderrama, M., 182
Van Boxel, R., 114

Wimperis, S., 173

Xi, Z., 18

Yiğit, B., 27
Yoder, C.H., 33

Zabel, M., 1

PII: S0022-328X(01)01163-9

ELSEVIER

Journal of Organometallic Chemistry 633 (2001) 191–194

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 633

Acetylide
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
Alkylidyne
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51
Alkyne
Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, 162
Die Beständigkeit von $(\eta^5\text{-}C_5H_4R)_2Ti(C{\equiv}CR')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4SiMe_3)Ti(C{\equiv}CSiMe_3)_2$, 71
Arene ruthenium
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79
Azophenol ligands
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79

Benzotriazole
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
Binuclear
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66
Bis(diphenylphosphine)amine complexes
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, 182
Boroxine rings
Ring strain in boroxine rings: computational and experimental considerations, 149
Butadi-1,3-yne
Die Beständigkeit von $(\eta^5\text{-}C_5H_4R)_2Ti(C{\equiv}CR')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4SiMe_3)Ti(C{\equiv}CSiMe_3)_2$, 71

Cadmium
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), 143
1-Carbamoyl-4,5-dihydropyrazole
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, 137
Carbonyl
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0–3$; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_5I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, 39
Solid state structure of $P(o\text{-}(CF_3)Ph)_3$ substituted $Rh_2(CO)_4(\mu\text{-}Cl)_2$. Formation of dimeric $[Rh_2(CO)_3(\mu\text{-}Cl)_2\{P(o\text{-}(CF_3)Ph)_3\}]_2$, 69
Carbonyl compounds
Reactions of lithium silenolates with benzophenone, 131
Carboxylates
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
Catalysis
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173
Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79
Cd NMR
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), 143
Clusters
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, 1
Complex
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66
Complexes
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), 143
Crystalline polymorphism
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, 91
Crystal structure
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66

PII: S0022-328X(01)01164-0

Synthesis, crystal structure and catalytic properties of (*p*-cymene)-ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79
Crystal structures
Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, 1
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, 162
Solid state structure of $P(o\text{-}(CF_3)Ph)_3$ substituted $Rh_2(CO)_4(\mu\text{-}Cl)_2$. Formation of dimeric $[Rh_2(CO)_3(\mu\text{-}Cl)_2\{P(o\text{-}(CF_3)Ph)_3\}]_2$, 69
Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27
Cyclometallation
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, 162
Cyclopentadienyl
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0$–3; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3$, 4; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_5I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, 39
Cyclotetrasiloxane
Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2\text{-}2)\text{-}SiO]_4$ und dessen strukturanalytische Untersuchung, 157

DFT analysis
Ring strain in boroxine rings: computational and experimental considerations, 149

5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acids
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
Electrochemical oxidation
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51
Electrochemistry
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
Electron transfer
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51
Enolate
Reactions of lithium silenolates with benzophenone, 131
Exchange
A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33

Ferrocene
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, 137
Fluxional
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), 143

Gold
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114

Haloalkyl ligand
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0$–3; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3$, 4; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_5I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, 39
Hyperpolarizability
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
Hypervalent
Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2\text{-}2)\text{-}SiO]_4$ und dessen strukturanalytische Untersuchung, 157

Intermolecular coupling
Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18
Iridium
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, 182

Long chain-substituted pyrazoles
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, 91

Manganese
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, 162
Metallacycle
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, 162
Molybdenum
Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, 1
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0$–3; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3$, 4; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_5I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, 39
Monochalcogenide complexes
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, 182
Mössbauer
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7

Nickel
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
NMR
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
NMR spectra
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66

One-dimensional stacking
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, 91
Organodiplatinum(II)
Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, 105
Organodiplatinum(IV)
Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, 105
Organotin
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
Organotin adduct
A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33
Oxygen insertion
Synthesis, crystal structure and catalytic properties of (*p*-cymene)-ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79

Palladacycles
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173
Phosphane
Solid state structure of $P(o\text{-}(CF_3)Ph)_3$ substituted $Rh_2(CO)_4(\mu\text{-}Cl)_2$. Formation of dimeric $[Rh_2(CO)_3(\mu\text{-}Cl)_2\{P(o\text{-}(CF_3)Ph)_3\}]_2$, 69
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66
Phosphide
Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
Phosphonodithioates
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
Platinum
Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, 105
Pseudohalide ligands
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, 1
Pyrylium salts
β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5-pyranyl– and η^5-oxocycloheptadienyl–$Mn(CO)_3$ complexes, 162

Recyclable catalyst
Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27
Reductive elimination
Die Beständigkeit von $(\eta^5\text{-}C_5H_4R)_2Ti(C{\equiv}CR')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4SiMe_3)Ti(C{\equiv}CSiMe_3)_2$, 71
Rhodium
Solid state structure of $P(o\text{-}(CF_3)Ph)_3$ substituted $Rh_2(CO)_4(\mu\text{-}Cl)_2$. Formation of dimeric $[Rh_2(CO)_3(\mu\text{-}Cl)_2\{P(o\text{-}(CF_3)Ph)_3\}]_2$, 69
Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, 182
Rhodium–pyrazol complexes
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, 91
Ring strain
Ring strain in boroxine rings: computational and experimental considerations, 149
Ruthenium
47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27
Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5\text{-}C_5Me_5)RhCl\{\eta^2\text{-}P,Se\text{-}Ph_2PNP(Se)Ph_2\}]\cdot CH_2Cl_2$, 182

Semicarbazide
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, 137
Silica supported
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173
Silicon
Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2\text{-}2)\text{-}SiO]_4$ und dessen strukturanalytische Untersuchung, 157
Silver
$[Cp_2MoH_2]$–silver complexes with pseudohalide ligands, 1
Silyllithium
Reactions of lithium silenolates with benzophenone, 131
Sn-119-P-31 coupling constant
A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33
Suzuki reaction
Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173

Thermochromism
Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2(Hpz^R)]$ complexes, 91

1-Thiocarbamoyl-4,5-dihydropyrazole
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, 137
Thiosemicarbazide
The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, 137
Tin-119 chemical shift
A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33
Titanacyclopentadiene
Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18
Titanacyclopentene
Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18
Titanocene
Die Beständigkeit von $(\eta^5\text{-}C_5H_4R)_2Ti(C{\equiv}CR')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4SiMe_3)Ti(C{\equiv}CSiMe_3)_2$, 71
Titanocene–ethylene complex
Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18
Transfer hydrogenation
Synthesis, crystal structure and catalytic properties of (*p*-cymene)-ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79
Triphospholyl
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), 143
Tungsten
Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_iMe_{3-i})Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; $i = 0–3$; X = Br, I) and $[\{\eta^5\text{-}C_5(CH_3)_5\}(CO)_3Mo\{(CH_2)_nX\}]$ ($n = 3, 4$; X = Br, I) and the crystal structures of $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_5I\}]$, $[(\eta^5\text{-}C_5H_5)(CO)_3W\{(CH_2)_3Br\}]$ and $[(\eta^5\text{-}C_5H_5)(CO)_2(PPh_3)Mo\{(CH_2)_3I\}]$, 39
Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66
Vinylidene
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
Water-soluble carbene complex
Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27
X-ray
Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
X-ray structure
Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
X-ray structure analysis
Die Beständigkeit von $(\eta^5\text{-}C_5H_4R)_2Ti(C{\equiv}CR')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4SiMe_3)Ti(C{\equiv}CSiMe_3)_2$, 71
Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2\text{-}2)\text{-}SiO]_4$ und dessen strukturanalytische Untersuchung, 157
Zinc
Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[M(\eta^1\text{-}P_3C_2^tBu_2)_2(NC_5H_5)_n]$ (M = Zn, $n = 2$; M = Cd, $n = 3$), 143